



Comfort is a great seat

For most, comfort is prioritized about all aspects in life. Realizing this, the Ergo is created to imbue the lifestyles of the discerning few who are content with comfortable seating solutions. Are you one of them?





Specification



Headrest

The two-pivoted headrest allows precise adjustments of the angle and the height, where user can loosen the two knobs at the backside of the headrest to move the headrest up and down or backward and forth to the desired position, and tighten the knobs to support neck and shoulder comfortably in any seating position. (Pic. 1 /2 /3)

Fixed Armrest

J-shape design matched moulded polypropylene armrest in black finish. (Pic. 4)

D-shape design matched moulded polypropylene armrest in black finish. (Pic. 5)

Adjustable Armrest with Polyurethane Armpad

Adjustable armrest with chrome finish, a compactly designed armrest allowing height adjustment to firmly support elbows and eliminate stress for extended hours of work; while the polyurethane armpad is soft and designed to enhance support with best comfort. (Pic. 6)

Nylon High Base

5 pedestal high legged black finish nylon base, generates by highly sophisticated ambience to provide strong stability. (Pic. 7)

luminium Base

5 pronged die-cast aluminium polished base, generates by highly sophisticated ambience to provide strong stability. (Pic. 8)

Polyurethane Castor

Sturdy 60mm polyurethane dual-wheel castors are designed for smooth gliding with safety feature, enable user to swivel in any directions in a perfect balanced-environment, and also reduce floor scratches and chair noise while moving. (Pic. 9)

Tilting Mechanisn

Swivel metal synchronized mechanism with one locking system at the seat right posture and tilt at 25° reclining position, allows separate tilting of backrest and seating in different angles, ease user movement for different postures. (Pic. 10)

Point synchronized technology with multi-locking mechanism, not only allows separate tilting of backrest and seating in different angles, but more advance with multi angle locker helps user to control over maximum levels of tilting angles depending on preferred working postures, making every seating position a perfect balanced environment. (Pic. 11)

Lumbar Suppor

The lumbar support (lower back support) mechanism is masterfully integrated into the full upholstered chairs. Simply twist the knob located under the chair seat, the lower section of the independent backrest moves forward to allow for dynamic back support when you lean back on the chair. (Pic. 12)

Backrest Cov

High quality moulded polypropylene backrest cover, decorated with horizontal strips offer in either black or white finishing, is designed for green environment with its recyclable materials, quality upholstery, while adding elegant to the contours of the backrest. (Pic. 13 / 14)

Height Adjustable Pneumatic Cylinder

Imported heavy duty pneumatic cylinder designed with safety and durability features, allows for height adjustment of the chair to suit each users physique. (Pic. 15)

Polyurethane Moulded Foam

High density polyurethane moulded foam come with fire retardant feature, gives the seat flexibility to conform user seating posture, provides great support and best comfort even for long seating hours. The black finish seat cover below is designed for greater protection to the foam, quality upholstery and user safety. (Pic. 16)

Optional Features

















- POLYPROPYLENE BASE CODE: PB 30 5 pronged polypropylene base with dual-wheels nylon castors.
- 2. NYLON HIGH BASE CODE: NB 20 5 pedestal high legged black finish nylon base with sturdy 60mm dual-wheel polyurethane castors.
- 3. ALUMINIUM HIGH BASE CODE: AB 10 5 pronged die-cast aluminium polished base with sturdy 60mm dual-wheel polyurethane castors.
- 4. J' ARMREST CODE: A 60 Design matched moulded polypropylene fixed armrest in black finish.

5. D' ARMREST CODE: A 63

Design matched moulded polypropylene fixed armrest in black finish.

- 6. ADJUSTABLE ARMREST (Chrome) CODE: D 45 Adjustable armrest in multi-locking position with chrome finish and
- 7. CONVENTIONAL METAL SYNCHRONIZED MECHANISM CODE: MH 011 Swivel metal synchronized mechanism with one locking system.
- 8. POINT SYNCHRONIZED MECHANISM CODE: MH 006 Point synchronized technology with multi-locking mechanism.





470mm

Width

Depth



ER 381L-10D45 950mm x 1030mm 470mm x 640mm 470mm



ER 382L-10D45 850mm x 930mm 470mm x 640mm 470mm



ER 383L-83C 900mm 470mm x 580mm

470mm



ER 384L-92C 900mm 470mm 470mm



ER 380F-30A60

1150mm x 1250mm Height Width 470mm x 610mm Depth 470mm



ER 381F-30A60

950mm x 1050mm 470mm x 610mm 470mm



ER 382F-30A60

850mm x 950mm 470mm x 610mm 470mm



ER 383F-83E

900mm 470mm x 580mm 470mm



ER 384F-92E

900mm 470mm 470mm

ARTMATRIX TECHNOLOGY SDN BHD (694144-X) ARTMATRIX MANUFACTURING SDN BHD (693659-U)

Lot 32789, Jalan 5/1A, Taman Perindustrian Selesa Jaya, 43300 Balakong, Selangor, Malaysia.

****** +603 8962 2286 ****** +603 8961 8862

www.artmatrix.com.my

KK SHOWROOM

Ground Floor, Block B, Lot 4, Damai Plaza Phase 3, Wisma CTF, Jalan Damai, 88300 Kota Kinabalu, Sabah, Malaysia.

2 +6088 448 355 / 448 655

급 +6088 448 455

JAKARTA REPRESENTATIVE OFFICE

28-12, DBS Bank Tower 28 Floor, Ciputra World One, Jalan Prof. Dr. Satrio Kav 3-5, Jakarta 12940, Indonesia.

T +62 21 2988 7965 😭 +62 21 2988 8201 jakartaoffice@artmatrix.com.my

Accreditation





















Green Labels and Awards